	L #	Hits	Search Text	DBs
1	L1	6587	allocat$ near2 (bandwidth or resource)	USPAT
2	L2	707	(allocat$ near2 (bandwidth or resource)).ti,ab.	USPAT
3	L3	275	2 and (allocat$ near2 (bandwidth or resource)) with network	USPAT
4	L4	163	3 and priorit$7	USPAT
5	L5	16	4 and (server with allocat$4)	USPAT
6	L6	74	(allocat$ near2 bandwidth) with server	USPAT
7	L7	39	6 and priorit$	USPAT
8	L8	34	7 not 5	USPAT
9	L9	6	(bandwidth and priorit$ and server and allocat$4).ti,ab.	USPAT; EPO; JPO; Derwent; IBM TDB
10	L10	246	(allocat$ near2 (resource or bandwidth) with server)	USPAT
11	L12	79	11 not 8 not 7 not 5	USPAT
12	L11	100	10 same client	USPAT
13	L13	92	(allocat$ near2 (bandwidth) with server)	USPAT; EPO; JPO; Derwent; IBM TDB
14	L14	29	13 same client	USPAT

	L #	Hits	Search Text	DBs
1	L1	102488	(user or subscriber or client) near4 request$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	28171	(allocat$4 or assign$4 or apportion$3) near3 (bandwidth or resource)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	825	(allocat$4 or assign$4 or apportion$3 or reallocat$3 or redistribut$3 or reassign$4 or reapportion$4) near3 (bandwidth or resource) same (base$1 or according or depend$3) near5 (request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	1005	(allocat$4 or assign$4 or apportion$3 or reallocat$3 or redistribut$3 or reassign$4 or reapportion$4) near3 (bandwidth or resource) same (base$1 or according or depend$3) near5 (request$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	210	1 same 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	39	5 and (@ad<19970510 or @prad<19970510)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	2	"6578077"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	1	7 and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	82	1 and 4 and (ftp or http)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
10	L10	4	9 and (@ad<19970510 or @prad<19970510)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text
1	L1	15	(reallocat$4 or re-allocat$3 or redistribut$3 or re-distribut$3 or reassign$3 or re-assign$3 or rebalanc$3 or re-balanc$3) near5 (resource or bandwidth) near3 (assign$2 or reserved) near3 (client or user)
2	L2	127	server near3 (bandwidth near2 allocat$3)
3	L3	26	(1 2) and @pd>20030721
4	L4	0	3 and (@ad<19970510 or @prad<19970510)
5	L5	44305	load near3 balanc$3 or allocat$4 near3 (resource or bandwidth)
6	L6	7808	5 with (server or client or user)
7	L7	1	(allocat$4 near5 (bandwidth or resource) near5 ((data or information or request) near2 type)) and (@ad<19970530 or @prad<19970530) and @pd>20030721
8	L8	1793	6 with request$3
9	L9	3885	(reallocat$4 or re-allocat$3 or redistribut$3 or re-distribut$3 or reassign$3 or re-assign$3 or rebalanc$3 or re-balanc$3) near5 (resource or bandwidth or load)
10	L10	245	8 and 9
11	L11	38	10 and (@ad<19970510 or @prad<19970510)

	L #	Hits	Search Text
12	L12	440	(reallocat$4 or re-allocat$3 or redistribut$3 or re-distribut$3 or reassign$3 or re-assign$3 or rebalanc$3 or re-balanc$3 or re-apportion$4) near5 (resource or bandwidth or load) near5 (client or server or user or subscriber or participant)
13	L13	89	12 and (@ad<19970510 or @prad<19970510)
14	L14	69	13 not 11 not 1 not 3
15	L15	19	5802301.URPN.
16	L16	83	reserv$5 near4 (bandwidth or resource) near4 (server or central or service adj provider) with (user or subscriber or participant or client)
17	L17	17	16 and (@ad<19970510 or @prad<19970510)
18	L18	662	bandwidth near5 guarantee$3 near5 (maximum or minimum)
19	L19	246	18 same (audio or video or user or subscriber or client)
20	L20	52	19 and (@ad<19970510 or @prad<19970510)
21	L21	19	5200952.URPN.

	L #	Hits	Search Text
1	L1	576	((bw or bandwidth) near5 available) same ((client or user) with request$3)
2	L2	298	1 and (allocat$3 or reallocat$3) with (resource or bandwidth)
3	L3	89	(2) and (@ad<19970530 or @prad<19970530)
4	L4	248	1 and (allocat$3 or reallocat$3 or preallocat$3 or redistribut$3 or re-distribut$3) with (user or client or workstation or participant)
5	L5	210	2 and 4
6	L6	70	(5) and (@ad<19970530 or @prad<19970530)
7	L7	42	(allocat$4 near5 (bandwidth or resource) near5 ((data or information or request) near2 type)) and (@ad<19970530 or @prad<19970530)
8	L8	12	(reallocat$4 or re-allocat$3 or redistribut$3 or re-distribut$3 or reassign$3 or re-assign$3 or rebalanc$3 or re-balanc$3) near5 (resource or bandwidth) near3 (assign$2 or reserved) near3 (client or user)
9	L9	5	(reallocat$4 or re-allocat$3 or redistribut$3 or re-distribut$3 or reassign$3 or re-assign$3 or rebalanc$3 or re-balanc$3) with bandwidth with (assign$2 or reserved) near3 (client or user)